

Certificate of Conformity of the Factory Production Control

No. 0780-CPR-92032

In compliance with *Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation - CPR), this certificate applies to the construction products

Construction product/s,
as specified on page 2 of this certificate

placed on market by **Eduard Hueck GmbH & Co. KG**
Loher Straße 9
58511 Lüdenscheid • Germany

and produced in the manufacturing plant
Hueck Extrusion GmbH & Co. KG
Talstraße 105
58515 Lüdenscheid • Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the harmonised standard

EN 15088:2005

under system 2+ are applied and that


the factory production control (FPC) fulfils all the prescribed requirements.

This certificate replaces the certificate with identic number dated 2018-01-31, first issued 2009-03-19. It will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction products, and the manufacturing conditions in the plant are not modified significantly, latest until 2024-05-15, unless suspended or withdrawn by the FPC certification body.

Nuremberg, 2019-05-15

TÜV Rheinland LGA Bautechnik GmbH
Tillystraße 2 • 90431 Nürnberg • Germany
Notified FPC Certification Body 0780




Dipl.-Ing. (FH) Günther Jost
Head of Certification Body

www.tuv.com

Certificate of Conformity of the Factory Production Control

No. 0780-CPR-92032

Page 2 of the Certificate of Conformity of the Factory Production Control dated 2019-05-15

Certified construction products:

Structural products of aluminium alloy for construction works

Extruded profiles according EN 755,

hollow sections ≤ 400 mm,
cross sections (circumscribing diameter): $\leq \varnothing 420$ mm

Material:

EN AW-6005A-T6

EN AW-6060-T66

EN AW-6063-T66 ▪ EN AW-6063-T6

EN AW-6082-T6

Extruded precision profiles according EN 12020

EN AW 6005A-T6

EN AW 6060-T66

EN AW 6063-T6, -T66

EN AW 6082-T6

up to 15 mm thickness

up to 25 mm thickness

up to 25 mm thickness

up to 15 mm thickness

